INDIANA.
N & W 2 P. M.



Township No. VII *North of the Base line,* **Range No. I** *West of the 2nd Meridian. Surveyed by Arthur Henrie 1815*

Total quantity 23.219.97

IND

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.
35 & 36	Sandy Rolling Timber Oak & Hickory
25. 36	ditto
25. 26	ditto
24. 25	ditto
23. 24	Sandy level Timber same
13. 24	ditto
13. 14	Sandy flat Timber Beech, Ash & Walnut
12. 13	ditto
11. 12	Sandy Hilly Timber Oak, Hickory & Beech
1. 12	Sandy Hilly Timber Oak, Ash & Beech
1. 2	ditto
34. 35	Sandy flat Timber Beech, Gum, Oak & Hickory
26. 35	ditto
26. 27	ditto
23. 26	ditto
22. 23	
14. 23	ditto
14. 15	ditto
11. 14	ditto
10. 11	ditto
2. 11	ditto
2. 3	ditto

Between Sections	Quality &c.
33 & 34	Sandy Rolling Timber Beech, Ash & Hickory
27. 34	ditto
25. 28	Part level & Timber same
22. 27	ditto
21. 22	ditto
15. 22	ditto
15. 16	ditto
10. 15	ditto
9. 10	ditto
3. 10	ditto
3. 4	ditto
32. 33	Rolling rich Soil Timber Sugar, Ash, Beech
25. 33	ditto
20. 21	ditto
16. 21	ditto
9. 16	ditto
8. 9	ditto
4. 9	ditto
4. 5	ditto
31. 32	Sandy Rolling Timber same
29. 32	ditto

Between Sections	Quality &c.
29 & 30	Sandy Rolling Timber Sugar, Ash, Beech
20. 29	ditto
19. 20	ditto
17. 20	ditto
17. 18	Sandy Rolling Timber Beech, Sugar, Poplar, Ash &c.
8. 17	ditto
7. 8	ditto
5. 8	ditto
5. 6	ditto
6. 7	ditto
7. 18	ditto
18. 19	ditto
19. 30	ditto
30. 31	ditto
22. 29	ditto
21. 28	ditto

Township No. 7 North, Range No. 1 West of 2nd Meridian

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the Soil
A	Beech	12	N 73 W	12	
	W. Oak	30	S 20 E	25	
a					
B	Sugar	12	S 66 W	20	
	Dogwood	5	S 1 W	20	
b					
C	Beech	15	N 79 W	28	
	Hickory	20	S 34 E	10	
c					
D	Beech	5	N 75 E	20	
	do	20	S 8 E	27	
d					
E	W. Oak	15	S 21 E	48	
	Beech	15	N 76 W	47	
e					
F	Bit the post	3	S 62 E	3	
	Hickory	20	N 32 W	18	
	Oak				
f					
G	W. Oak	24	N 15 E	22	G to H. Sand Hilly Timber Oak.
	Beech	10	S 39 W	3	
g	W. Oak	14	N 43 E	19	
	Hickory	6	S 45 W	24	
H	Sugar	16	N 9 E	16	H to I. Sand Hilly Timber.
	do	15	S 62 W	21	Oak Beech &c.
h	Beech	10	S 35 W	10	
	W. Oak	36	N 16 W	20	
I	Beech	24	Corner		I to R. Same
i	Hickory	24	Corner		
R	W. Oak	15	N 65 E	11	R to L. Sand level Timber
	Beech	7	N 55 W	5	Beech & Sugar
k	Beech	16	N 4 W	20	
	Hickory	16	South	21	
L	W. Oak	24	N 22 W	6	L to M. Sand good better
	Beech	18	N 53 E	11	timber Beech & Sugar
l	Sugar	24	N 19 W	13	
	Beech	12	S 13 W	22	
M	Ironwood	6	S 87 E	3	M to N. Sand Hilly Timber Oak
	Sugar	9	N 24 W	18	
m	Dogwood	2	N 72 W	4	
	Elm	6	S 45 E	50	
N	Sugar	10	N 72 E	6	N to O. Hilly Oak land
	do	15	N 66 W	17	
n	Beech	6	N 18 W	12	
	do	5	S 45 W	6	
O	Beech	14	S 34 E	6	O to P. Same
	do	12	N 10 E	26	
o	Mulberry	12	N 65 W	30	
	Blue Ash	10	S 20 E	10	
P	Beech	15	N 32 E	50	P to Q. Sand Hilly Timber
	do	9	S 75 W	15	Oak. Sugar & Beech
P	Beech	15	S 65 E	8	
	do	12	N 53 W	30	
Q	Beech	30	N 82 W	20	Q to K. Sand Hilly Timber Beech
	Elm	10	N 77 E	27	
q	Beech	12	S 24 W	12	
	Sugar	30	N 70 E	33	
R	Beech	20	S 60 W	11	R to S. Sand rich Timber
	do	30	N 71 E	27	sugar Walnut & Beech
r	Beech	12	S 60 E	25	
	Sugar	2	S 17 W	20	
S	White	30	S 16 W	17	S to T. Sand Level Second
	Dogwood	8	N 74 W	27	Timber Oak
s	do	8	S 30 W	25	
	Beech	15	N 6 E	20	
T	Beech	30	S 17 W	32	T to U.
	Poplar	30	N 2 W	38	
t					
U	Beech	3	N 30 E	52	
	do	4	S 7 E	30	
u					
V	Hickory	12	Corner		
v					
W	Beech	4	S 34 W	4	
	do	4	S 42 E	5	
w					
X	Sugar	12	N 30 E	30	
	Gooseberry	12	S 80 W	20	
x					
Y	Ironwood	24	East	50	
	Elm	12	S 4 E	32	
y					

Interior Section Corners described

Corners at	Bearing trees	Inches diam.	Courses they bear	Links dist.
25. 26. 35. 36	Beech	18	N 30 W	28
	do	12	S 36 E	28
23. 24. 25. 26	Beech	15	N 15 E	23
	do	8	S 16 W	23
13. 14. 23. 24	Maple	5	S 21 W	33
	do	8	N 35 W	39
11. 12. 13. 14	Hickory	5	S 30 E	7
	W. Oak	18	N 68 W	32
1. 2. 11. 12	Beech	10	S 46 W	13
	do	12	S 20 E	29
26. 27. 34. 35	Beech	8	N 72 E	17
	do		N 11 W	18
22. 23. 26. 27	W. Oak	20	N 21 E	6
	Beech	10	S 4 W	39
22. 23 14. 15				
10. 11. 14. 15	Beech	6	S 39 W	19
	do	5	N 20 E	13
2. 3. 10. 11	Beech	12	N 41 E	10
	do	5	S 27 E	6
27. 25. 35. 34	Beech	12	S 31 E	14
	do	8	N 4 E	23
25. 22. 27. 28	Beech	8	S 7 E	25
	Hickory	20	N 87 W	27
15. 16. 21. 22	Beech	10	N 87 E	18
	do	15	S 79 W	12
9. 10. 15. 16	Beech	12	N 46 W	14
	Sugar	8	N 46 E	14
3. 4. 9. 10	Beech	4	N 4 E	12
	Walnut	6	West	30
28. 29. 32. 33	Beech	12	S 40 E	14
	do	18	N 52 E	42
20. 21. 28. 29	Sugar		S 76 E	21
	Ironwood	4	N 68 W	4
16. 17. 20. 21	Beech	26	N 18 E	12
	Sugar	4	S 20 W	6
8. 9. 16. 17	Beech	30	East	3
	Sugar	8	S 40 W	28
4. 5. 8. 9	do	18	N 8 E	13
	Beech	20	S 79 W	26
29. 30. 31. 32	Dogwood	4	S 64 E	26
	Elm	7	N 39 W	20
19. 20. 29. 30	Beech	15	N 59 E	22
	do	25	S 85 E	31
17. 18. 19. 20	Beech	15	S 73 E	11
	do	10	S 63 W	15
7. 8. 17. 18	Beech	30	South	15
	do	12	N 45 W	12
5. 6. 7. 8	Beech	18	South	8
	Sugar	12	S 86 E	43

Interior Quarter Section Corners described

From Pt to	Bearing trees	Inches diam.	Courses they bear	Links dist.
M to W at 1	Sugar	10	S 47 W	4
	do	15	N 77 E	32
2	Beech	6	N 56 E	14
	do	16	S 20 E	11
3	Maple	10	S 14 E	24
	Hickory	12	S 27 W	14
4	W. Oak	20	N 57 W	13
	do	24	N 72 E	12
5	Beech	10	N 28 E	28
	do	4	S 85 E	22
6	Hickory	15	N 72 W	20
	Sugar	8	S 25 E	32
L to V at 1	Beech	12	S 4 E	11
	do	10	N 82 W	12
2	Poplar	5	N 85 E	11
	do	5	S 15 W	17
3	Beech	25	N 18 E	30
	do	15	S 74 W	11
4	Sugar	8	N 76 E	21
	do	8	S 12 E	21
5				
6	Beech	8	N 4 E	34
	do	10	S 35 W	11
E to W at 1	Beech	10	West	20
	do	15	S 64 W	20
2	Beech	10	N 77 E	16
	do	8	S 16 E	17
3	Poplar	100	S 29 W	12
	Sugar	20	N 62 E	18
4	Sugar	10	N 20 E	22
	do	3	S 33 E	21
5	Beech	10	N 26 E	9
	do	3	S 16 W	5
6	W. Walnut	12	N 82 E	40
	Ironwood	5	N 20 E	30

Interior Quarter Section Corners continued

From Pt to	Bearing trees	Inches diam.	Courses they bear	Links dist.
I to X at 1	W. Oak	12	S 3 W	3
	Ironwood	6	N 21 E	29
2	Beech	3	S 62 E	5
	do		N 28 E	10
3	Beech	20	S 26 W	18
	Sugar	8	S 88 E	11
4	Sugar	6	N 13 E	17
	do	12	S 7 E	27
5	Beech	12	S 6 E	20
	do	4	N 78 E	5
6	D. Walnut	36	N 24 E	19
	Ash	18	S 35 W	19
H to X at 1	Dogwood	6	N 30 W	17
	Maple	10	S 9 W	20
2	Beech	8	S 16 W	4
	do	4	N 9 E	20
3	Beech	3	N 25 E	13
	do	18	S 63 W	21
4	Sugar	18	S 75 E	17
	do	12	S 7 E	27
5	Poplar	10	S 17 W	10
	Sugar	5	N 75 E	9
6	Sugar	10	N 36	3
	do	9	S 37 W	35
O to F at 1	Beech	18	S 50 E	20
	do	10	N 78 W	7
2	Hickory	10	S 15 W	27
	Elm	18	N 47 W	18
3	Beech	8	S 61 E	9
	do	4	S 20 W	15
4	Beech	20	S 14 W	23
	do	12	S 70 E	20
5	W. Oak	20	N 4 E	23
	do	12	S 82 W	26
6	W. Oak	24	N 75 E	—
	do	20	S 16 W	9
P to E at 1	W. Walnut	10	N 70 W	15
	do	7	N 82 E	14
2				
3	Beech	15	S 27 W	17
	do	15	N 15 W	27
4	W. Oak	12	S 22 W	9
	do	15	N 28 E	20
5	Beech	4	S 57 W	20
	W. Walnut	10	S 73 E	20
6	Beech	15	S 20 E	15
	do	15	N 24 W	12
Q to D at 1	Beech	12	East	30
	Elm	10	N 69 W	25
2	Beech	6	N 26 E	26
	do	10	S 36 W	8
3	Gum	12	N 32 E	9
	Beech	5	S 5 W	7
4	Sugar	7	S 56 E	11
	do	10	S 86 W	17
5	Sugar	10	N 18 E	10
	Dogwood	3	N 57 E	9
6	W. Ash	20	S 16 E	25
	Beech	5	S 52 W	4
R to C at 1	Ash	20	N 37 E	5
	Beech	6	N 1 W	20
2	Beech	4	Corner	
3	Elm	18	N 14 W	26
	Beech	8	S 26 W	19
4	Beech	5	S 29 E	19
	do	4	N 81 E	20
5	Beech	30	S 36 W	26
	do	16	S 42 E	25
6	Hickory	20	N 46 E	6
	Dogwood	4	S 14 E	18
S to B at 1	Beech	10	S 5 E	26
	do	12	S 78 W	27
2	Sugar	8	S 16 W	19
	do	8	S 77 E	33
3	Hackberry	12	S 40 W	17
	Sugar	15	N 40 E	26
4	W. Oak	24	S 30 E	6
	Beech	6	S 88 W	12
5	Beech	7	S 13 E	4
	do	6	N 24 W	22
6	Beech	8	S 29 E	24
	Sugar	5	N 33 W	10

HQ

NATIONAL ARCHIVES OF THE UNITED STATES
CARTOGRAPHIC RECORDS RG49

INDIANA.
N & W 2 P. M.

IND
7N R1W - 2nd P.M.

Plat 96-1

Pursuant to a Contract with and Instructions from Z. Mansfield Surveyor General of the United States bearing Date this 19th Day of June 1812 I have Admeasured laid out and Surveyed the Above ancribed Township And do hereby Certify that it had such Marks and Bounds both Natural and Artificial as are Represented on said plat and Described in the field Notes made thereof and Returned with the plat into the Surveyor Genarals Office Certified this 23d Day of October 1815

Arthur Henrie D. Surveyor

Township No. 7 North, Range No. 1 West, 2nd Mer.



Surveyed in 1815 by Arthur Henrie Deputy Surveyor.

I certify that the above is a true copy of the recorded plat in this Office.

Surveyor Generals Office.
Cincinnati. Sept. 9. 1837

Sur. Gen.

Down No. 7 North Range No. 1 West of 2nd Meridian

Pursuant to a Contract with and Instructions from J. Mansfield Surveyor General of the United States
Date the 30th Day of June 1812 I have Admeasured laid out and Surveyed the Above described Township, And do hereby
Certify that it had such Marks and Bounds both Natural and Artificial as are Represented on said plat and
Described in the field Notes Made thereof and Returned with the plat into the Surveyor Generals Office
this 25th Day of October 1815

Arthur Henne Deputy Surveyor